

Danner, Ward

From: Carmen Santos <Santos.Carmen@epamail.epa.gov>
Sent: Wednesday, March 27, 2013 12:29 PM
To: Santos, Carmen
Subject: Fw: 1009 66th Ave. Oakland, CA - Certification for 40 CFR 761.61(E) and 761.3
Attachments: Certification VER1.doc

Carmen D. Santos
PCB Coordinator
RCRA Corrective Action Office (WST-5)
Waste Management Division
USEPA Region 9
415.972.3360
santos.carmen@epa.gov

"Think left and think right and think low and think high. Oh, the things you can think up if only you try!" Dr. Seuss

[This e-mail message, including any attachments, may contain non-public, privileged and/or confidential information solely intended to be conveyed to the designated recipient(s). If you receive this e-mail message and are not an intended recipient, please delete this e-mail message and its attachments immediately. The unauthorized use, dissemination, distribution, or reproduction of this e-mail message and its attachments is strictly prohibited by law.]

 Before printing this e-mail think if it is necessary. Think Green!

----- Forwarded by Carmen Santos/R9/USEPA/US on 03/27/2013 12:28 PM -----

From: Carmen Santos/R9/USEPA/US
To: "Goloubow, Ron" ,
Cc: armann.steve@epa.gov, wilson.patrick@epa.gov, charles@pacificcharter.org
Date: 11/09/2009 11:19 AM
Subject: RE: 1009 66th Ave. Oakland, CA - Certification for 40 CFR 761.61(E) and 761.3

Dear Ron Goloubow:

Below is the language that you included in the draft proposed Certification. Please revise the certification as indicated below. After making the annotated revision, the Certification language is acceptable. Thank you.

Certification Statement

Owner: Aspire Charter Schools
Parties Conducting Cleanup: Arcadis and Innovative Construction Solutions
Project: Former Pacific Motors Facility – 1009 66th Avenue, Oakland, CA

In accordance with 761.61(a)(3)(i)(E); I, Michael Barr, hereby certify, that all sampling plans, sample collection procedures, sample preparation procedures, extraction procedures, and instrumental/chemical analysis procedures used to assess or characterize the presence, concentrations, and extent of polychlorinated biphenyl- (PCB) impacted media for Former Pacific Motors Facility – 1009 66th Avenue, Oakland, CA are on file and available for USEPA review at the following location:

LFR Inc. an Arcadis Company
Contact: Ron Goloubow

~~In accordance with 40 CFR 761.3;~~ Under civil and criminal penalties of law for the making or submission of false or fraudulent

statements or representations (18 U.S.C. 1001 and 15 U.S.C. 2615), I certify that the information contained in or accompanying this document is true, accurate, and complete. As to the identified section(s) of this document for which I cannot personally verify truth and accuracy, I certify as the company official having supervisory responsibility for the persons who, acting under my direct instructions, made the verification that this information is true, accurate, and complete.

By: _____
Michael Barr - Aspire Charter Schools

Date: _____

Carmen D. Santos, Project Manager
RCRA Corrective Action Office
Waste Management Division
USEPA Region 9
415.972.3360
fax: 415.947.3533

-----"Goloubow, Ron" wrote: -----

To: Carmen Santos/R9/USEPA/US@EPA
From: "Goloubow, Ron"
Date: 11/06/2009 01:27PM
Subject: RE: 1009 66th Ave. Oakland, CA - Certification for 40 CFR 761.61(E) and 761.3

Can you please let me know if the attached contains the requested language?

Ron Goloubow, P.G.
LFR Inc., an ARCADIS Company
510-596-9550 Direct Dial
510-501-1789 Cell
510-652-4906 Facsimile
ron.goloubow@lfr.com

From: Santos.Carmen@epamail.epa.gov [<mailto:Santos.Carmen@epamail.epa.gov>]
Sent: Thursday, November 05, 2009 6:23 PM
To: Goloubow, Ron
Cc: Gibbs, Alan; armann.steve@epa.gov; wilson.patrick@epa.gov; charles@pacificcharter.org
Subject: RE: 1009 66th Ave. Oakland, CA - Certification for 40 CFR 761.61(a) PCB Cleanup Notification

Dear Ron Goloubow:

The certification appended to your message (both attached below) is incomplete. The signed certification must include the language under "Certification" in 40 CFR 761.1 and the language in 40 CFR 761.61(a)(3)(i)(E). If you wish to receive one example of several Certifications that we have on file in connection with 761.61 Notifications submitted by other parties, I will gladly send a copy to you. All the Certifications that USEPA has approved contain the language that we are requiring Aspire to include in its Certification.

As it stands now, Aspire's Notification is incomplete and that may delay the Notification approval process, which we are expediting to help Aspire meet its deadlines.

Please call me if you have any questions or wish to receive a copy of an example Certification approved by USEPA. Thank you.

Sincerely,

Carmen D. Santos, Project Manager
RCRA Corrective Action Office
Waste Management Division
USEPA Region 9
415.972.3360
fax: 415.947.3533

-----"Goloubow, Ron" wrote: -----

To: Carmen Santos/R9/USEPA/US@EPA
From: "Goloubow, Ron"
Date: 11/05/2009 04:00PM
cc: "Gibbs, Alan"
Subject: RE: 1009 66th Ave. Oakland, CA - Certification and Sampling Plan

Based on my review of 40 CFR 761.61(a)(3)(i)(E) & 40 CFR 761.1; the certification I attached earlier is compliant. I will get it signed by Aspire and send it over.

In addition I will "clean up" the maps and send over the lab reports for the soil samples & building materials samples shortly.

Ron Goloubow, P.G.
LFR Inc., an ARCADIS Company
510-596-9550 Direct Dial
510-501-1789 Cell
510-652-4906 Facsimile
ron.goloubow@lfr.com

From: Santos.Carmen@epamail.epa.gov [<mailto:Santos.Carmen@epamail.epa.gov>]
Sent: Thursday, November 05, 2009 3:43 PM
To: Goloubow, Ron
Cc: Gibbs, Alan; Goloubow, Ron
Subject: Re: 1009 66th Ave. Oakland, CA - Certification and Sampling Plan
Importance: High

Hello, Ron:

Thank you for sending the Sampling and Analysis Plan. We will begin its review immediately.

The Certification language is incomplete. As explained during our October 27, 2009 meeting, in addition to the language in 40 CFR 761.61(a)(3)(i)(E), the Certification must include the language in 40 CFR 761.1 under *Certification*.

Please send me a copy of the analysis results for the samples collected last week, including those results for samples collected from building materials. I appreciate your cooperation. Thank you.

Sincerely,

Carmen

Carmen D. Santos, Project Manager
RCRA Corrective Action Office
Waste Management Division
USEPA Region 9
415.972.3360
fax: 415.947.3533

-----"Goloubow, Ron" wrote: -----

To: Carmen Santos/R9/USEPA/US@EPA
From: "Goloubow, Ron"
Date: 11/05/2009 03:03PM
cc: "Gibbs, Alan" , "Goloubow, Ron"
Subject: 1009 66th Ave. Oakland, CA - Certification and Sampling Plan

Carmen attached is the sampling plan that provides the detail regarding the procedures to be used to collect confirmation soil samples from the proposed areas of excavation at the subject Site.

In addition, I have attached a certification page for the Self-Implementing Cleanup Notification and Certification letter that was transmitted to EPA on October 23, 2009. Can you please let me know if the certification contains the correct TSCA Certification language and would be acceptable?

Thanks again for your assistance and the timely review of the documents that you and your colleagues have provided us for this project.

Ron.

Ron Goloubow, P.G.
Senior Associate Geologist
LFR Inc., an ARCADIS Company
1900 Powell Street, 12th Floor
Emeryville, CA 94608-1827
510-596-9550 Direct Dial
510-501-1789 Cell
510-652-4500 Main Number
510-652-4906 Facsimile
ron.goloubow@lfr.com
Visit us at www.lfr.com

NOTICE: This e-mail and any files transmitted with it are the property of ARCADIS U.S., Inc. and its affiliates. All rights, including without limitation copyright, are reserved. The proprietary information contained in this e-mail message, and any files transmitted with it, is intended for the use of the recipient(s) named above. If the reader of this e-mail is not the intended recipient, you are hereby notified that you have received this e-mail in error and that any review, distribution or copying of this e-mail or any files transmitted with it is strictly prohibited. If you have received this e-mail in error, please notify the sender immediately and delete the original message and any files transmitted. The unauthorized use of this e-mail or any files transmitted with it is prohibited and disclaimed by ARCADIS U.S., Inc. and its affiliates. Nothing herein is intended to constitute the offering or performance of services where otherwise restricted by law.

[attachment "Certification VER1.doc" removed by Carmen Santos/R9/USEPA/US]

[attachment "TSCA Sampling Plan11-2009.pdf" removed by Carmen Santos/R9/USEPA/US]

(See attached file: Certification VER1.doc)